

Home Appliance

Series



SHENZHEN MARVO TECHNOLOGY CO.,LTD

TEL
+86 - 755 - 2749 6655

EMAIL
sales@color-reco.com
sales1@color-reco.com

COMPANY
6TH FLOOR, BUILDING A, DONGFANGYAYUAN, CHEN TIAN COMMUNITY,
XIXIANG, BAOMIN 2 ND ROAD, BAO'AN DISTRICT, SHENZHEN, CHINA.



MARVO × **COLORRECO**

Why do you need them?
Something that saves you time and effort,
Something that is close to your heart,
Something that satisfies your health and appetite at all times,
And something that bring you the simple and wonderful life.



2023 PRODUCT SERIES

Shenzhen Marvo Technology Co., Ltd is a professional, diversified, market-driven electrical products company. The headquarter is located in Shenzhen city China, which is famous manufacturing and exporting center of various electrical appliances, mechanical electronics, electrical accessories---etc. , we have over 10 years' experience exporting products with CE, CB, FCC SAA and RoHS marks, and have an excellent design team to provide OEM/ODM service.

Since its foundation, Marvo specializes in Kitchen Appliances, Environmental Appliances, Household Appliances and Personal Care Appliances-etc. Supported by our dedicated team of R&D, Design, Manufacturing, Quality controls, Marketing, Sales, and After-sales personnel, Marvo has become one of the favorite partners among the customers around the world.

Designers with 10+Years of Experience to Serve You
We have professional designers who will attend to your OEM/ODM requests and whole brand image request. We have more than 8 years of brand building experience and successfully make own brands Marvo/Colorreco, more and more distributors in the global market cooperate with our own brand Marvo/Colorreco, thus we got more knowledge from more partners and customers in different markets, such as South America, Europe, the Middle East and more.

Meeting Quality Standards such as CE, CB, RoHS, and FCC
We established our strict quality control system and perfected it. Now 99.5% of our SDA products in the production line can meet the standard. Besides, our products have been approved by certification organizations, such as CE, CB, RoHS, FCC, and others. And we're recognized by some world-renowned brands.

Cooperate with Us Today
In Marvo, enjoy tailored one-stop service from design to shipment, and leave the problem to experts.



KITCHEN APPLIANCES

03-34
PAGE



HOUSEHOLD APPLIANCES

35-44
PAGE



PERSONAL CARE

45-57
PAGE



Kitchen Appliances

Healthy



HAF-039

AIR FRYER WITH DIGITAL CONTROL

Capacity: 15L
Frequency: 50Hz/60Hz
Temperature: 80-210°C
Timer: 5-120mins
Heating type: stainless heating pipe
Digital control
Accessories: 1) Baking tray 2) Tray handle
3) oven rack 4) baking basket



HAF-002

MULTIFUNCTIONAL AIR FRYER

Capacity: 4.0L
Frequency: 50-60Hz
Power: 1400W
Temperature: 0-200°C
Timer: 1-60min
Manual control
Heating type: stainless heating pipe
Non-stick coating basket and baking pan
Accessories: Baking pan



HAF-043

AIR FRYER WITH DIGITAL CONTROL

Capacity: 5L
Power: 1400W
Voltage: 220~240V
Frequency: 50/60Hz
Timer: 5-60 min
Appointment time range: 0-24H
Temperature range: 80-200°C
Non-stick coating baking basket
Accessories: baking Tray
360°high-speed heat circulation technology



HAF-038

AIR FRYER WITH LCD TOUCH CONTROL

Capacity: 3.8L outer pan
Power: 220V, 1400W
Temperature: 80-200°C
Timer: 5-60 min
Digital control
Heating type: stainless heating pipe
Non-stick coating basket and baking pan
Accessories: Baking pan



HAF-018

WIFI MULTIFUNCTIONAL AIR FRYER

Capacity: 5.0L outer pan
 Rated voltage: 220V-240V
 Rated power: 1500W
 Product size: 30*30*34cm
 Temperature: 0-200°C
 Timer: 1-60min
 Digital easy touch panel control
 Connect the Tuya App via WiFi, remote appointment



HAF-045

MULTIFUNCTIONAL AIR FRYER

Capacity: 6L
 Power: 1500W
 Voltage: 220 ~ 240V, frequency: 50 / 60hz
 Material: ABS & PP
 Non-stick coating baking basket
 Control method: mechanical knob
 Timer range: 1-30 minutes
 Temperature range: 80-200°C
 Accessories: baking basket, oil separator



HAF-079

MULTIFUNCTIONAL AIR FRYER

Capacity: 3.5L
 Voltage: AC110-127V/220-240V, 50/60Hz
 Fry pot and rack, dishwasher safety
 Time control: 0-60min
 Temperature control: 80-200°C
 Cool-touch handle
 Double protection circuits
 Over-heat protection
 Non-slip feet
 The micro switch control



HAF-081

DUAL-ZONE AIR FRYER

220-240V~ 50-60Hz 2800W
 Cool touch housing
 With safety switch
 Auto shut-off function
 With anti-skidding feet
 10-preset programs, digital display panel
 65-200 adjustable cooking temperature settings
 0-60min adjustable cooking time with bell ring
 8.0L detachable non-stick coating pot with detachable rack(single basket 4.0L)



HAF-080

MULTIFUNCTIONAL AIR FRYER

Capacity: 6L
 Voltage: AC110-127V/220-240V, 50/60Hz
 Time control: 0-30 mins or 0-60min
 Temperature control: 80-200°C
 Cool-touch handle
 Double protection circuits
 Over-heat protection
 Non-slip feet
 The micro switch control



HAF-031

AIR FRYER WITH MECHANICAL DOUBLE KNOBS

Capacity: 4.4L outer pan
 Power: 1350W
 Voltage: 220~240V
 Frequency: 50/60Hz
 Timer range: 1-30 minutes
 Temperature range: 80-200°C
 Teflon non-stick coating baking basket
 Control method: mechanical knob
 Accessories: baking basket, oil separator
 360°high-speed heat circulation technology

HAF-015

45L ELECTRIC OVEN

Capacity: 45 Liter
Power: 2000W 50Hz/60Hz
Durable Stainless Steel Heating Element
Power Indicator Lamp
120 Minutes Timer
60-250°C Thermostat Control
4 Stage Heating Selector



HAF-014

36L ELECTRIC OVEN

Capacity: 36 Liter
Power: 1500W 50Hz/60Hz
Durable Stainless Steel Heating Element
Power Indicator Lamp
60 Minutes Timer
60-250°C Thermostat Control
4 Stage Heating Selector



KITCHEN
APPLIANCES



HAF-072

25L ELECTRIC OVEN

Power: 1600W
Timer: 60 minutes
Temperature control up to 250°C
Auto shut off and ready bell
Top & bottom heating elements by stainless steel
Heat-resistant tempered glass window
Accessories: 1) bake pan 2) bake rack
3) rotisserie spit & handle 4) pan handle 5) crumb tray



HAF-073

38L ELECTRIC OVEN

Power: 1600W
Timer: 60 minutes
Temperature control up to 250°C
Auto shut off and ready bell
Top & bottom heating elements by stainless steel
Heat-resistant tempered glass window
Accessories: 1) bake pan 2) bake rack
3) rotisserie spit & handle 4) pan handle 5) crumb tray

HSM-020 CONTACT GRILL

Power: 2000W
180 degree open
Non-stick coating for easy cleaning
Floating hinge system automatically adjusts to any size of toaster, meat or snack.
Plate size: 29.0*24.0 cm
Total 0.8m PVC cord with VDE plug
Non-stick coating
Cool touch housing
Overheat safety protection



HSM-005 SANDWICH MAKER

Power: 750W
Non-stick coating plate
Skid-resistant feet
Easy open handle
With power and ready light indicator
Total 0.8m PVC cord with VDE plug
Two-slice sandwich maker
Cool touch housing
Overheat safety protection



HSM-006 3 IN 1 SANDWICH MAKER

Power: 750W
Non-stick coating plate
Skid-resistant feet
Overheat safety protection
With power and ready light indicator
Two-slice sandwich maker
Cool touch housing
Easy open handle





HSM-028 A

DIGITAL CONTROL CONTACT GRILL

4 slice contact grill
Cool touch safe handle
Non-stick coating for easy cleaning
Overheat safety protection
Floating hinge system automatically adjusts to any size of toaster, meat or snack
9 Levels manual adjustable height
Plate size: 29.0*24.0cm
Total 0.8m PVC cord with VDE plug



HSM-028 B

DIGITAL CONTROL CONTACT GRILL

180 degree open
Cool touch safe handle
Non-stick coating for easy cleaning
Overheat safety protection
Floating hinge system automatically adjusts to any size of toaster, meat or snack
9 Levels manual adjustable height
Plate size: 29.0*24.0cm
Total 0.8m PVC cord with VDE plug



HSM-030

KNOB CONTROL CONTACT GRILL

4 slice contact grill
Detachable plate with timer
180 degree open
Cool touch safe handle
Non-stick coating for easy cleaning
Overheat safety protection
Floating hinge system automatically adjusts to any size of toaster, meat or snack
Plate size: 29.0*24.0cm
Total 0.8m PVC cord with VDE plug



HSM-031

KNOB CONTROL CONTACT GRILL WITH DETACHABLE PLATE

4 slice contact grill
Detachable plate with timer
Cool touch safe handle
Non-stick coating for easy cleaning
Overheat safety protection
Floating hinge system automatically adjusts to any size of toaster, meat or snack
Plate size: 29.0*24.0cm
Total 0.8m PVC cord with VDE plug



HSM-032

4-SLICE DUAL CONTROL CONTACT GRILL WITH LCD DISPLAY AND OPTIONAL MENU

220-240V~50Hz 1800W
Adjustable temperature and timing
LCD display/detachable plate
With optional menu for easy operation
Cool-touch safe handle
Non slip feet
Non-stick coating for easy cleaning
Floating hinge system
0.85M (Total length) HPN cord with 2 round pin plug



HCM-005

ESPRESSO COFFEE-MAKER

Power: 950W
 20 Bar high pressure extraction coffee powder
 1.5L transparent removable water tank
 Detachable frothing nozzle
 With 2 filters for single & double cup
 Touch Screen Simple One Button Operation
 Overheat and over-pressure protection device
 Rotatable steam wand, Easy Frothing
 Separate drip tray, Easy to Clean



HCM-029

ESPRESSO COFFEE-MAKER

Power: 850W
 15 Bar high pressure pump
 1.5L detachable transparent water tank
 ABS shiny housing with stainless
 Die-casting aluminum alloy boiler
 With safety valve can release pressure automatically
 Detachable frothing nozzle and drip tray
 Be used for ground coffee or ground coffee
 Aluminum alloy filter holder attached with
 dual-stainless filters



HCM-017

2 IN 1 ESPRESSO COFFEE-MAKER WITH BEAN GRINDER

1500W 230V 50Hz
 Bean Container Capacity :200g
 10 grinding degrees can be selected
 15Bar or 20Bar high pressure ulka pump
 1.4L detachable transparent water tank
 Thermo block heating system
 With overheating and overpressure protected device
 Automatic reset protection
 Motor silicone shockproof pad
 Anti-static design, coffee powder is not easy to splash



HCM-024

12 CUPS COFFEE MAKER

Power: 800W
 1.2L transparent glass jar
 Anti-drip feature
 Programmable digital timer
 Keep warm function
 Non-stick warming plate
 Removable filter for easy cleaning
 Accessories: 1) Coffee powder spoon;
 2) Re-usable filter



HCM-025

4-6 CUPS COFFEE MAKER

Power: 650W
 0.6L transparent jar
 4-6 cups coffee maker
 Visible water window
 Coffee powder spoon
 ON/OFF switch with indicator light
 Removable filter for easy cleaning
 Re-usable filter



HCM-018

ESPRESSO COFFEE-MAKER

Capacity: 1.4L
 Voltage and power: 220-240V 50/60Hz 1230-1465W
 19Bar high pressure ULKA pump
 1.4L detachable transparent water tank
 With safety valve can release pressure automatically
 Thermo block heating system
 With overheating and overpressure protected device



HWH-009

1.8L ELECTRIC KETTLE

Product capacity: 1.8L
 Stainless steel material: 201
 Plastic: Black PP
 Material: High borosilicated glass body
 Automatic switch off after boiling water
 Voltage selection: 220V, 50Hz 1500W



KITCHEN
APPLIANCES



HWH-001

1.8L ELECTRIC KETTLE

Capacity: 1.8L
 Power: 1355W 220V
 Material: PP/SS201, with Stainless Steel Inner lid
 Surface: Matter polish
 Body thickness: 0.25mm
 Cable: 3*0.75m*56CM CCA Power Cord
 Water boiling, automatic power off
 360° rotation base



HWH-008

1.8L ELECTRIC KETTLE

Plastic push button switch
 Insulation temperature: 60-85 degrees
 Material: High borosilicated glass body
 Stainless steel material: 201
 plastic: Black PP
 Rated power: 1500W/ (1000W based on 110V)
 Rated voltage: 220V (110V can be customized)
 Product capacity: 1.8L
 Water boiling, automatic power off
 EPE Form Packing



HWH-070

2.5L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 2.5L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-072

1.7L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 1.7L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-071

1.7L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 1.7L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-068

1.8L ELECTRIC KETTLE

Material: High borosilicated glass body
Stainless steel material: 201
plastic: Black PP
Rated power: 1500W
Rated voltage: 220V
Product capacity: 1.8L
Water boiling, automatic power off
EPE form packing



HWH-073

1.7L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 1.7L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-074

1.7L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 1.7L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-075

1.7L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 1.7L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-076

1.7L ELECTRIC KETTLE

Power: 1850-2200W
Capacity: 1.7L
Edible grade PP material shell with
304 heating plate
Ergonomic handle
High-power design,
Fast and energy-saving
Visualize the water window
Heating indicator light indicates
Prevent dry burning



HWH-020

Retro Design Stainless Steel Electric Kettle

Capacity: 1.8L
Power: 220-240V, 50/60Hz, 1850-2200W
304# Stainless Steel Body
UK Control
LED Illumination of Blue on the switch
Automatic Switch Off
Dry Boil protection
Concealed Heating Element
360°Rotative Cordless Base with Cord Storage
Removable & Washable SS Scale Filter
Transparent Water Gauge
S/S Precision Casting Knob



HST-016

2-SLICE TOASTER

220-240V, 50Hz, 800W
Self-centering guides
LED light screen with time display
One touch pop-out for the crump tray
Auto pop up and auto shut off
Cord storage and slide out crumb tray
Time setting: 6 Level
Function: Reheat/Cancel/Defrost/Bagel



HST-017

4-SLICE TOASTER

220-240V, 50Hz, 1250-1500W
Self-centering guides
LED light screen with time display
One touch pop-out for the crump tray
Auto pop up and auto shut off
Cord storage and slide out crumb tray
Time setting: 6 Level
Function: Reheat/Cancel/Defrost/Bagel



HST-012

2-SLICE TOASTER

220-240V 730-870W, VDE plug
High lift function
Automatic centering function
Anti Jam function
Extra wide slot, good for small & large bread
6 browning levels and Reheat, Cancel and Defrost functions
Slide out crumb trays for easy cleaning
Cord-storage base with non-slip feet
External length of power cord: 75cm



HIC-001 ELECTRIC CERAMIC COOKER

Voltage: 220V~240V, 50/60Hz
Rate: 1850W
Sensor touch controls-easy to use
Adjustable thermostat control
Work with all types of cookware
Crystal plate: 280*360mm
Cable length: 1.25m



HIC-017 Infrared cooker with handle(single ring)

Rating:220V-240V
Real power:1850W
Display power:2000W
Touch&knob control
4 digital led display
With 9 power/temperature levels for adjustment
Plate:Diameter 280*360mm polished black crystal plate
Any cooking pot could be used
High/low heating or voltage protection
With 3 hours timer setting,and with metal shell



HIC-019 DOUBLE INFRARED COOKER WITH SINGLE RING

Rating: 230V;Real power:1850W+1850W
Display power2000W+2000W
Touch&Knob control
4 digital led display
8 power/temperature levels for adjustment
Plate:Diameter 245*245mm polished
black crystal plate
Glass size:400*670mm
High/low heating or voltage protection
Multiple functions and 3 hours timer setting
Any cooking pot could be used



HIC-018 Electric Induction cooker

Rating: 220V-240V
Real power:1450W
Display power:2000W
Touch control
4 digital led display
With 9 power/temperature levels for adjustment
Plate:Diameter 280*350mm unpolished black crystal plate
Automatically shut off if lack of pot or the pot is empty
High/low heating or voltage protection
Multiple functions and 3 hours timer setting
With child lock



HBR-072

STAND MIXER WITH 7-8L S.S BOWL

Rated output Power: 1600-1800W
Tilt-up head 30° and head safety lock
6+0 speeds with Pulse function by chip control
True #304 stainless steel bowl
Detachable transparent splash cover



HBR-044

STAND MIXER WITH SUPER SILENT 6.5L S.S BOWL

220~240V, 50/60Hz,
Power: 800W-1000W (DC motor)
Touch screen control panel
6 speed controls with pulse function
Low noise level
Tilt head for easy operation



HBR-029

3 IN 1 STAND MIXER WITH MEAT GRINDER AND JUICE EXTRACTER

6L stainless steel bowl
Power: 1500W
1.5L glass jar
Frequency: 50Hz/60Hz
6 speed + Pulse with stable speed control,
Full metal gears system for heavy duty operation
Tilt head for easy operation
Planetary mixing action
Accessories: 1) 6L bowl 2) splash guard
3) dough hook 4) whisk 5) beater



HBR-028

STAND MIXER

6L stainless steel bowl
Power: 1500W
Frequency: 50Hz/60Hz
6 speed + Pulse, with stable speed control
Full metal gears system for heavy duty operation
Tilt head for easy operation
Planetary mixing action
Accessories: 1) 6L bowl 2) splash guard
3) dough hook 4) whisk 5) beater



HBR-030

HAND BLENDER SET

Powerful DC motor 7812
Real power: 400/600/800/1000W 220-240V, 50-60Hz
Soft-touch rubber buttons
Plastic housing, with top cover plating
Hang-up loop for easy mounting
Strong and durable sharp 2 leaves stainless steel blades
Product size: 55*64*33.8 cm
Accessories: 1) whisk 2) 500ml chopper
3) 600ml measuring cup



HBR-032

HAND BLENDER

Powerful DC motor, 220-240V, 50-60Hz
Power: 400/600/800/1000W (for option)
Easy to assemble / disassemble with one click
Variable speed control with blue LED light
Product size: 55*64*33.8cm
Accessories: 1) Whisk 2) 500ml Chopper 3) 600ml Measuring cup
4) Potato masher 5) Milk frother



HBR-033

HAND BLENDER SET

Powerful DC motor 7812, 220-240V, 50-60Hz, real power: 400/600/800/1000W
Soft-touch rubber buttons
Plastic + SUS housing
Easy to assemble / disassemble with one click
Strong and durable sharp 4-tips stainless steel blades
Product size: 55*64*33.8cm
Accessories: 1) Whisk 2) 500ml Chopper
3) 600ml Measuring cup



HBR-034

HAND BLENDER

Powerful DC motor, 220-240V, 50-60Hz
Power: 400/600/800/1000W (for option)
Easy to assemble / disassemble with one click
Variable speed control with blue LED light
Product size: 55*64*33.8cm
Accessories: 1) Whisk 2) 500ml Chopper
3) 600ml Measuring cup 4) Potato masher 5) Milk frother



HBR-069

CORDLESS HAND BLENDER

DC 7.4V (#18650, 3.7V*2 Lithium Ion Battery)
Power: 400/600/800W (for option)
Adaptor Input: 100-240Vac
Adaptor Output: 5.0V
Wattage: 200W
Battery capacity: 2000mAh
Charging time: 2-2.5 hours



HBR-067

HAND BLENDER

AC220-240V 250-550W
Power: 400/600/800W (for option)
AC120V 250-350W Max
Optional accessories: 600ml AS Beaker
One speed for easy using
Powerful 100% copper DC motor
Soft touch button
Whole plastic blending rod
Anti-scratch blending foot



HCG-004

ELECTRIC GRAIN GRINDER

Power: 150W
Power supply: AC220-240V 50/60hz
Gear position: one key
Motor: 5415 copper wire motor
Power cord: 0.3 copper power cord
Material: new food grade ABS
Hardware: 430 material
Function: Grinding
Grinding bean capacity: 50g



HCG-005

ELECTRIC GRAIN GRINDER

Power: 150W
Power supply: AC220-240V 50/60hz
Gear position: one key
Motor: 5415 copper wire motor
Power cord: 0.3 copper power cord
Material: new food grade ABS
Hardware: 430 material
Function: Grinding
Grinding bean capacity: 50g



HYZ-002

MINI SLOW JUICER

Power: 100W
Long continuous working time
Slow speed screw type
RPM: 80-110/min
Keep the nutrition of the juice, reduce the oxidation
Low noise level less than 65 dB, quiet
Reverse function to avoid stuck
High juice extracting rate
Large feeding tube of 50mm
Easy to clean
Safety protection



HYZ-003

JUICE EXTRACTOR

160W copper motor
Easy press die cast handle press with soft grip-stop
Easy taking out and clean
High juicing rate
With anti-drip
Stainless steel filter
Non-slip rubber feet



HYZ-004

JUICE EXTRACTOR

160W copper motor
Easy press die cast handle press with soft grip-stop
Easy taking out and clean
High juicing rate
With anti-drip
Stainless steel filter
Non-slip rubber feet



HYZ-005

JUICE EXTRACTOR

Power: 90W
Power supply: 220V/50Hz
Gear: manual pressure
Motor: 6035 shaded pole motor
Power cord: 2*0.5*1m copper wire
Material: new food-grade ABS
Function: Juicing



HBR-071

CORDLESS HAND MIXER

Voltage: DC7.4V (#18650, 3.7V*2 Lithium Ion Battery)
Adaptor Input: 100-240Vac
Adaptor Output: 5.0V
Wattage: 80W
Battery capacity: 2000mAh
Charging time: 2-2.5 hours
3 speed settings



HFP-011

CORDLESS FOOD PROCESSOR

Voltage: DC7.4V(#18650, 3.7V*2 Lithium Ion Battery)
Adaptor Input: 100-240Vac
Adaptor Output: 5.0V
Wattage: 200W
Battery capacity: 2000mAh
Charging time: 2-2.5 hours
3 cup (approx. 700ml) food processor bowl
With safe-locking lid



HBR-027

ELECTRIC HAND MIXER

Power: 100W 220-240V 50/60hz
Gear position: 7-speed speed regulation
Motor: 5512# Copper Clad Aluminum Motor
Power cord: 2*0.3 copper-clad aluminum power cord
Material: new food grade PP
Accessories: 1) egg beater: 1 pair ,
2) dough hook : 1 pair



HBR-070

CORDLESS BLENDER

Voltage: DC 7.4V(#18650, 3.7V*2 Lithium Ion Battery)
(Adaptor Input: 100-240Vac; Adaptor Output: 5.0V)
Wattage: 200W
Battery capacity: 2000mAh
Charging time: 2-2.5 hours
Blender jar capacity: 500ml



HMG-025

CORDLESS CHOPPER

Voltage: DC 7.4V (#18650, 3.7V*2 Lithium Ion Battery)
Adaptor Input: 100-240Vac
Adaptor Output: 5.0V
Wattage: 200W
Battery capacity: 2000mAh
2 Speed settings
Glass bowl capacity: 1.2L
Stainless steel 4-pieces blades
With LED indicating lights



HMG-026

DOUBLE CUP FOOD CHOPPER

Power: 220V 50Hz
Capacity: 4L
Motor: 6325
2 speeds, easy operation push button
New 5-blade knife
Easy to clean
304 stainless steel Bowl body and Glass bowl



HCM-035

PORTABLE COFFEE MACHINE

76x76x182mm
Battery: 7.4V/800mAh
Material: ABS, MS



HBR-064

MILK FROTHER

Φ20×245mm
Material: ABS, S/S304



HBR-065

MILK FROTHER

Φ22×267mm
Battery: AA*2
Material: ABS, S/S



HBR-063

GRAVITY ELECTRIC
PEPPER MILL

Φ63×202mm
Battery: AAA*6
Material: ABS, MS,
Ceramic, S/S201



HBR-062

GRAVITY ELECTRIC
PEPPER MILL

Φ71×221mm
Battery: AAA*6
Material: ABS, S/S, Ceramic



Household Appliances

Automatic



HCF-027

5 IN 1 LEAFLESS FAN

Aromatherapy, exterminator,
anti-gravity water droplet humidifier
Super silent brushless DC motor
50W motor, low power, low power consumption
7m ultra-long distance air supply
First-class security & remote control function
National 3C standard configuration
Humidifier capacity: 1.5L
Wind speed: 12 Level
Support timing, up to 12 hours
Wide-angle air supply of 60 degrees,
Support for shaking the head
With remote control



HHF-006

TOWER PTC HEATER

Safety PTC heating element
80 degree angle oscillation
2 heat settings: 1000W/2000W
Adjustable thermostat
Recessed handle
Overheating protection
Safety tip-over switch
Power indicator light
VDE plug



HHF-003

FAN HEATER

2 heat settings: 1000W/2000W and fan
3 wind mode: Normal/warm/hot
Thermal automatic cut-off
Overheating protection
Adjustable thermostat
Power indicator light
Integral carry handle



HHF-004

FAN HEATER

2 heat settings: 1000W/2000W and fan
Power indicator light
Adjustable thermostat
Thermal automatic cut-out
Overheating protection
Safety thermal fuse built in
Dual thermal cutout



HHF-005

PTC HEATER

2 heat settings: 750W/1500W
PTC heating element
Overheating protection
Adjustable thermostat
Power indicator light
Safety tip-over switch

**HWC-006****30ML SINGLE HOLE TANK WINDOW
CLEANING ROBOT**

Input voltage: AC110-240V, 50-60Hz
 Rated power: 80W
 Battery capacity: 500mAh
 Charge time: 4 hours
 Suction force: 2800Pa
 Border detection: Automatic
 Motor type: Brushless motor
 Anti-fall control: Power-off protection/Safety strap
 Cleaning speed: 5 mins/m²
 Control mode: Remote control

**HWC-008****45ML DUAL HOLE TANK WINDOW
CLEANING ROBOT**

Input voltage: AC110-240V, 50-60Hz
 Rated power: 80W
 Battery capacity: 500mAh
 Charge time: 4 hours
 Suction force: 2800Pa
 Border detection: Automatic
 Motor type: Brushless
 Anti-fall control: Power-off protection/Safety strap
 Cleaning speed: 3 mins/m²
 Control mode: Remote control



**HWC-004****30ML SINGLE HOLE TANK WINDOW CLEANING ROBOT**

Input voltage: AC110-240V, 50-60Hz
 Rated power: 80W
 Battery capacity: 500mAh
 Charge time: 4hours
 Suction force: 2800Pa
 Border detection: Automatic
 Motor type: Brush motor
 Anti-fall control: Power-off protection/Safety strap
 Cleaning speed: 5 mins/m2
 Control mode: Remote control

**HWC-003****WINDOW CLEANING ROBOT**

Input voltage: AC110-240V, 50-60Hz
 Rated power: 80W
 Size: 295*145*90MM (L*W*H)
 Suction force: 2800Pa
 Control mode: Remote control
 Border detection: Automatic
 Motor type: Brush motor
 Anti-fall control: Power-off protection/Safety strap
 Cleaning speed: 5 mins/m2
 Cleaning mode: 2 types
 Battery capacity: 500mAh

**HWC-007****50ML SINGLE HOLE TANK WINDOW CLEANING ROBOT**

Input voltage: AC110-240V, 50-60Hz
 Rated power: 80W
 Battery capacity: 500mAh
 Charge time: 4 hours
 Suction force: 2800Pa
 Border detection: Automatic
 Motor type: Brushless
 Anti-fall control: Power-off protection/Safety strap
 Cleaning speed: 3 mins/m2
 Control mode: Remote control

**HWC-005****30ML SINGLE HOLE TANK WINDOW CLEANING ROBOT**

Battery capacity: 500mAh
 Charge time: 4 hours
 Suction force: 2800Pa
 Border detection: Automatic
 Motor type: Brushless Motor
 Anti-fall control: Power-off protection/Safety strap
 Cleaning speed: 5 mins/m2
 Cleaning mode: 2 types
 Control mode: Remote control



HRC-003

ROBOT VACUUM CLEANER

Input: AC 100 ~ 240V, 0.5A
Working voltage: \leq DC14.8V
Power: \leq 25W
Suction: 3000PA (brushless fan)
Battery capacity: 2500mAh
Voice support
Smart Path + Gyroscope Navigation
Anti-drop rotation, automatic recharge
Make an appointment remotely and adjust the wind power



HRC-004

ROBOT VACUUM CLEANER

Input: AC 100 ~ 240V, 0.5A
Working voltage: \leq DC8.4V
Power: \leq 21W
Suction: 2500PA (brushless fan)
Battery capacity: 2500mAh
Voice support
Touch keys, intelligent path
Anti-drop rotation, automatic recharge
Make an appointment remotely and adjust the wind power



HRC-005

ROBOT VACUUM CLEANER

Input: AC 100 ~ 240V, 0.5A
Working voltage: \leq DC8.4V
Power: \leq 16W
Suction: 2500PA (brushless fan)
Battery capacity: 2500mAh
Touch the button to start cleaning with one button
Anti-drop rotation
The wind power can be adjusted remotely
Voice support



HFA-020

AIR PURIFIER

Applicable area: 16-21m²
Touch screen buttons
Third speed
Automatic prompt to change the filter
Power: 24W
Power Source: 100--240VAC 50/60Hz



HFA-019

AIR PURIFIER

Applicable area: 16-21m²
Power: 6W
Touch screen buttons
Third speed / Child lock/sleep mode
Automatic prompt to change the filter
Power Source: 100--240VAC 50/60Hz



HHM-024

HUMIDIFIER

Top filling (Water tank & Base together)
One-button control of fog
Capacity: 2.5L
Material: PP (anti-corrosion)
Add essential oil in the water tank
AC plug 100-240V, 50/60Hz
Auto shut-off when lack of water
The fog outlet nozzle can be rotated 360° to control the direction



Personal Care

Care



OC-001

PORTABLE ORAL IRRIGATOR

Water tank: 100ML
 Power: 5W
 Battery: 800mAh
 Voltage: 100-240VAC 50/60Hz
 Pulse number: 1200±15% times/min
 Charging time: about 2 hours
 Mode: Standard
 Water pressure range: 55-100PSI
 Water flow: 100±30ml/30s
 Noise standard: less than 72 dB
 Waterproof rating: IPX 7
 Magnetic suction charging



OC-002

PORTABLE ORAL IRRIGATOR

Water tank: 200ML/300ML
 Power: 5W
 Battery: 1400mAh
 Voltage: 100-240VAC 50/60Hz
 Motor speed: 1200-1800 times/min
 Charging time: 4 hours
 Standard mode pressure: 60-100PSI
 Soft mode pressure: 30-60PSI
 Water out time: 15s at the latest
 Water flow: ≥ 220ml/min
 Noise standard: less than 72dB



OC-003

PORTABLE ORAL IRRIGATOR

Water tank: 300ML
 Power: 5W
 Battery: 1400mAh Lithium battery 18500
 Voltage: 100-240VAC 50/60Hz
 Charging time: 2.5-3 hours
 Water pressure range: 10-110PSI
 Pulse number: 1250±15% times/min
 Water flow: ≥ 220ml/min
 Noise standard: less than 72dB
 IPX7 level waterproof





HC-092
MULTIFUNCTION HOT AIR BRUSH

220-240V~50/60Hz 1000W
DC motor
3 power settings(0/cool/1/2)
Professional swivel cable
4 accessories for optional
Swivel 2x0.75mm² PVC cable,1.8m



HC-085
HAIR STRAIGHTENER & CURLER

Voltage: 100-240V, 50-60Hz
Power: 50W
Temperature range: 100-230
Heat emitter material: PTC/MCH
Ten million levels of negative ion hair protection (optional)
Large screen HD LED digital display
Straight volume dual-use
60 minutes automatic shutdown (customized)



HC-001
HAIR STRAIGHTENER & CURLER

Rated power: 44W
Voltage: 100-240V, 50/60Hz
4-speed temperature control: 170-190-210-230 °C
Ceramic coated heating plate size: 25x90 mm
1 hour automatic shutdown function
LED temperature indicator
Button lock function
Negative ION technology
360-degree rotation wire
PTC heater



HC-046
HAIR STRAIGHTENER

Rated power: 45W
Rated temperature: 120-260°C
Ambient temperature: 0°C-40°C
One key temperature control technology design.
Safe and fast heating technology design.
Smooth and radiant in minutes.
Automatic power-off function.
One key locking function, easy to carry and prevent burns.



HC-013

AUTOMATIC WIRELESS HAIR CURLER

Material: ABS + PBT oil spraying + plating
 Charging voltage: DC 5V
 Current: 1500MA
 Battery voltage: 3.7V
 Battery capacity: 5000mAh
 Built-in lithium-ion battery
 New metal alloy heating film
 19mm ceramic curlers
 Intelligent temperature control and preheat reminder
 Insulated design to keep the heating tube out of reach



HC-017

HAIR DRYER & STYLER

Voltage: 120V AC
 Frequency: 50-60Hz
 Power: 1000W
 Gear: high, medium and low three gears
 Ceramic heater
 Function: Hair dryer/ curling iron/ hair straightener
 Full ceramic comb body hair care, remove static electricity



HC-045

PROFESSIONAL HAIR DRYER

Power: 2000-2300W
 Air speed: 80Km/h
 Three heating settings and two speeds control
 With internal hot circulation principle
 technology energy wasting
 Auto over-heat protection system.
 Dual protection for over-heating and excess current
 Strong wind with low voice



HC-018

HAIR DRYER

Power: 800W
 Heating time: 1s
 Wind: 13M/S
 Voltage: 100-125V/220-240V, 50/60Hz
 Heating with spiral heating wire
 2 gears low hot air high hot air
 Color: gray+electroplating rose gold
 Product size: 20*5.5*5cm



HC-094

HIGH SPEED BRUSHLESS MOTOR HAIR DRYER

110000RPM--Brushless DC Motor
 3 heat settings for all hair types and textures
 407g lightweight
 2 Speed Settings--Fast drying and styling
 360° rotating magnetic concentrator nozzle
 59dB low noise
 Intelligent Temperature Control Technology
 Compact Design & Lightweight
 Ion Generator



HC-088 HAIR DRYER

220-240V, 50-60Hz, 1400-1600W
DC motor
Switch for 0-1-2 setting
Cool shot function
Straightening handle
Magnet Concentrator
Option: Ionic
Hang Up Hook
1.8M Power cord & VDE plug



HC-089 HAIR DRYER

220-240V, 50-60Hz, 1400-1600W
DC motor
Switch for 0-1-2 setting
Cool shot function
Straightening handle
Magnet Concentrator
Option: Ionic
Hang Up Hook
1.8M Power cord & VDE plug



HC-093 BRUSH-LESS MOTOR HAIR DRYER HIGH SPEED

220-240V~50/60Hz 1200W
ON/OFF switch
High RPM brush-less motor
With two-layer air outlet
Safety cut off
Magnetic concentrator
3 colors LED light show high-mid-cool temperature



HC-091 HIGH SPEED BRUSHLESS MOTOR HAIR DRYER

Brushless High Speed Hair Dryer
Power: 220-240V~ 1500W
BLDC motor
4 color Ambient right rings
4 temperature & 2 speed setting
Auto Cleaning function
Rotate speed: 110000±5000rpm/min
Two layer magnetic concentrator
Logo digital display on end cap
Strong airflow speed: 20.5m/s



HC-090 HIGH SPEED BRUSHLESS MOTOR HAIR DRYER

Power: 220-240V~ 1500W
BLDC motor
4 color Ambient right rings
4 temperature & 2 speed setting
Auto Cleaning function
Rotate speed: 110000±5000rpm/min
Two layer magnetic concentrator
Aluminium Alloy housing
Logo digital display on end cap
Strong airflow speed: 20.5m/s



CHL-013 ELECTRIC ROTARY SHAVER

High power motor: 3.7V
Lithium battery: 700mAh
Quick charge: 1.5 hours
Working time: 90 minutes
Mode: wired and wireless
Wet and dry shaving
LED light display
Close cut blades system
Skin-protective blade
Precision shaving heads
Wet & dry shaving



PHT-026

6 IN 1 RECHARGEABLE TRIMMER SET

2.4V powerful motor, excellent cutting performance
High performance stainless steel blade
Waterproof IPX6
2*600mAh Ni-Mh batteries
LED Charging indicator
Charging Voltage: 100-240V-50/60Hz, 3W
Free clean brush, oil



PHT-028

HAIR CLIPPER

AC Power Clipper: 100-240V, 50/60Hz, 3W
Fine grinding stainless
0.8 to 1.5mm cutting variety
3/6/9/12mm cutting result.
Super magnetic motor



PHT-027

3 IN 1 RECHARGEABLE TRIMMER SET

2.4V powerful motor, excellent cutting performance
High performance stainless steel blade
Waterproof IPX6
2*600mAh Ni-Mh batteries
LED Charging indicator
Charging Voltage: 100-240V-50/60Hz, 3W
Free clean brush, oil, two attached comb,
USB charging cable



PHT-029

RECHARGEABLE PROFESSIONAL HAIR CLIPPER

Lithium battery: 2000mAh
3.7 V powerful motor
2 hours fast charge
240 minutes working time
Traveling lock
Cord and cordless
Type-C charging plug



PHT-030

RECHARGEABLE TWO HEAD ROTARY SHAVER

Rechargeable two head rotary shaver
Japanese blades technology
Portable design
The split structure design of the cutter head group
2.4V high quality motor
400mAh*2 Ni-cd battery
IPX6 waterproof
8 hours of charging, 45 minutes working time.
Type-C charging, universal use



PHT-031

RECHARGEABLE TWO HEAD ROTARY SHAVER

Japanese blades technology
Portable design
Anti-lost design of cutter head protection cover
The split structure design of the cutter head group
3.7V high quality motor
350mAh Li-on battery
IPX6 waterproof
Type-C charging, universal use



PHT-032

RECHARGEABLE TWO HEAD ROTARY SHAVER

Rechargeable two head rotary shaver.
Japanese blades technology
Zinc alloy appearance, strong texture
The split structure design of the cutter head group
3.7V high quality motor
350mAh Li-on battery
IPX6 waterproof
Type-C charging, universal use



PHT-033

FLOATING RECIPROCATING 5-HEAD SHAVER

The blades head can be disassemble and cleaned
Tough thin precision blade net
700mAh Li-on battery
Waterproof IPX7, wet & dry shaving
Intelligent switch travel lock
Cord and cordless
USB-Type-C charging



PHT-034

RECHARGEABLE ROTARY SHAVER

3.7V high quality motor
350mAh Li-on battery
IPX7 waterproof, wet and dry shaving
1 hours charging time
120 minutes working time
Type-C charging

